

**NOTE:**

1. ELECTRICAL TEST:
  - (1).100% OPEN SHORT, MISS WIRE TEST
  - (2). INSULATION RESISTANCE:DC 300V 10M Ohm;
  - (3). CONTACTOR RESISTANCE:1 OHM per meter
2. FLUKE TEST:CAT.6 channel test with four connectors  
TEST LIMIT:ISO11801 Channel Class E
3. Working temperature:-10°C ~ + 60°C
4. Storage temperature:-20°C~+75°C
5. RoHS2.0 AND REACH compliant
6. Support PoE per IEEE 802.3af, Max to 15 Watt
7. Spray WORD:
 

CAT.6 S/FTP LSZH 250MHz ISO/IEC 11801 & EN50173-1 & ANSI/TIA-568-C.2 www.Synergy21.de **CE**
8. PACKING:SYNERGY 21 SLIP PE BAG+LABEL

**MATERIAL LIST**

⑥	LABEL	NO DRY GLUE LABEL	1	
⑤	MINI TIE	PE MINI TIE(POSSESS METAL) COLOUR SEE THE CHART	2	
④	POLYETHYLENE BAG	SYNERGY 21 SLIP PE BAG	1	
③	CABLE	CAT.6 S/FTP 27AWG(BC*1P+AL-FOIL)*4+Braid (AL-MG) JACKET:LSZH/90A OD:6.0±0.2mm COLOUR SEE THE CHART	1	
②	Over mold	80A PVC, COLOR:SEE THE CHART	2	
①	Plug	RJ45 8P8C'S SHIELDED ,THE SHELL PLATED NICKEL ,PIN GOLD PLATED 3u" RED/TRANSPARENT	2	

NO.	PARTS NAME	SPECIFICATION STANDARD	QT' Y	REMARK
		ADD POE Information	2017-02-06	A2
		ADD "CE" MARK IN SPRAY WORD	2016-01-08	A1
		NEW	2015-01-20	A
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.

SYNERGY 21					
CUSTOMER NO.		ITEM NO.		SEE THE CHART	
PRODUCT NAME	CAT.6 S/FTP PATCH CORD	manufacture country:	CHINA	UNIT	MM
DRAWNBY	CHECKBY	APPOBY	DATE		
SYNERGY 21	SYNERGY 21	SYNERGY 21	2016-01-08		



COLOR:MAGENTA PANTONE 212C		
ITEM	LENGTH/mm	PACKING
	250±10	SYNERGY 21 A Bag
S216014	500±15	SYNERGY 21 A Bag
S216024	1000±30	SYNERGY 21 A Bag
S216033	1500±30	SYNERGY 21 A Bag
S216043	2000±30	SYNERGY 21 A Bag
S216053	3000±50	SYNERGY 21 A Bag
S216063	5000±200	SYNERGY 21 B Bag
S216072	7500±200	SYNERGY 21 B Bag
S216081	10000±200	SYNERGY 21 B Bag
S216090	15000±300	SYNERGY 21 C Bag
S216099	20000±300	SYNERGY 21 C Bag
S216108	25000±300	SYNERGY 21 C Bag
S216117	30000±300	SYNERGY 21 D Bag

COLOR:GREEN PANTONE 3278C		
ITEM	LENGTH/mm	PACKING
S215903	150±10	SYNERGY 21 A Bag
S216005	250±10	SYNERGY 21 A Bag
S216013	500±15	SYNERGY 21 A Bag
S216023	1000±30	SYNERGY 21 A Bag
S216032	1500±30	SYNERGY 21 A Bag
S216042	2000±30	SYNERGY 21 A Bag
S216052	3000±50	SYNERGY 21 A Bag
S216062	5000±200	SYNERGY 21 B Bag
S216071	7500±200	SYNERGY 21 B Bag
S216080	10000±200	SYNERGY 21 B Bag
S216089	15000±300	SYNERGY 21 C Bag
S216098	20000±300	SYNERGY 21 C Bag
S216107	25000±300	SYNERGY 21 C Bag
S216116	30000±300	SYNERGY 21 D Bag


COLOR:YELLOW PANTONE 135C		
ITEM	LENGTH/mm	PACKING
S215901	150±10	SYNERGY 21 A Bag
S216003	250±10	SYNERGY 21 A Bag
S216011	500±15	SYNERGY 21 A Bag
S216020	1000±30	SYNERGY 21 A Bag
S216030	1500±30	SYNERGY 21 A Bag
S216039	2000±30	SYNERGY 21 A Bag
S216049	3000±50	SYNERGY 21 A Bag
S216059	5000±200	SYNERGY 21 B Bag
S216069	7500±200	SYNERGY 21 B Bag
S216078	10000±200	SYNERGY 21 B Bag
S216087	15000±300	SYNERGY 21 C Bag
S216096	20000±300	SYNERGY 21 C Bag
S216105	25000±300	SYNERGY 21 C Bag
S216114	30000±300	SYNERGY 21 D Bag

					<b>SYNERGY 21</b>			
					CUSTOMER NO.		ITEM NO.	SEE THE CHART
		ADD 0.15M	2016-10-25	A1	PRODUCT NAME	CAT. 6 S/FTP. PATCH CORD	manufacture country:	CHINA UNIT MM
		NEW	2015-01-20	A	DRAWNBY	CHECKBY	APPOBY	DATE
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2015-01-20


COLOR:BLUE PANTONE 647C		
ITEM	LENGTH/mm	PACKING
S215900	150±10	SYNERGY 21 A Bag
S216002	250±10	SYNERGY 21 A Bag
S216009	500±15	SYNERGY 21 A Bag
S216019	1000±30	SYNERGY 21 A Bag
S216029	1500±30	SYNERGY 21 A Bag
S216038	2000±30	SYNERGY 21 A Bag
S216048	3000±50	SYNERGY 21 A Bag
S216058	5000±200	SYNERGY 21 B Bag
S216068	7500±200	SYNERGY 21 B Bag
S216077	10000±200	SYNERGY 21 B Bag
S216086	15000±300	SYNERGY 21 C Bag
S216095	20000±300	SYNERGY 21 C Bag
S216104	25000±300	SYNERGY 21 C Bag
S216113	30000±300	SYNERGY 21 D Bag

COLOR:BLACK PANTONE BLACK 3C		
ITEM	LENGTH/mm	PACKING
S215907	150±10	SYNERGY 21 A Bag
S216001	250±10	SYNERGY 21 A Bag
S216008	500±15	SYNERGY 21 A Bag
S216018	1000±30	SYNERGY 21 A Bag
S216028	1500±30	SYNERGY 21 A Bag
S216037	2000±30	SYNERGY 21 A Bag
S216047	3000±50	SYNERGY 21 A Bag
S216057	5000±200	SYNERGY 21 B Bag
S216067	7500±200	SYNERGY 21 B Bag
S216076	10000±200	SYNERGY 21 B Bag
S216085	15000±300	SYNERGY 21 C Bag
S216094	20000±300	SYNERGY 21 C Bag
S216103	25000±300	SYNERGY 21 C Bag
S216112	30000±300	SYNERGY 21 D Bag


						SYNERGY 21						
						CUSTOMER NO.		ITEM NO.	SEE THE CHART			
						PRODUCT NAME	CAT. 6 S/FTP PATCH CORD	manufacture country:	CHINA	UNIT	MM	
						ADD 0.15M	2016-10-25	A1				
						NEW	2015-01-20	A	DRAWNBY	CHECKBY	APPOBY	DATE
BY	CHK	REVISION RECORD MODIFICATIONS				DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2015-01-20	



L ≤ 0.5M



0.5M < L ≤ 7.5



7.5 < L


SYNERGY 2: Colour pantone 877C  
1: Colour pantone 298C

Ⓡ: Colour pantone Black


bag thickness single side: 0.05mm

CE length and height Must > 5mm


Labeling example 1



Labeling example 2



Labeling example 3




master mark


side mark

PO NO. :  
Cat. 6 S/FTP  
Length:  
Colour:  
C/NO. :  
REACH+RoHS 2.0 Compliant  
MADE IN CHINA

Item no:  
Cat. 6 S/FTP  
Length:  
Colour:  
Q' TY:  
N. W:  
G. W:  
MEAS:




1pcs/SYNERGY 21 Bag+label 1




L ≤ 5M: 1pcs/SYNERGY 21 Bag+label 1, 10pcs/pe bag+label 2  
5m < L ≤ 10M: 1pcs/SYNERGY 21 Bag+label 1, 5pcs/pe bag+label 2  
10m < L: 1pcs/SYNERGY 21 Bag+label 1, without pe bag

Inter Carton+waterproof bag




Inner carton: Single wall corrugated board

Outer Carton



Outer carton: Double wall corrugated board



Outer carton

SYNERGY 21

						SYNERGY 21							
			CUSTOMER					ITEM NO.					
			PRODUCT NAME		PACKING		manufacture country:		CHINA		UNIT	MM	
NEW			2015-01-20		A		DRAWNBY		CHECKBY		APPROVE		DATE
BY	CHK	REVISION RECORD MODIFICATIONS			DATE	REV.	SYNERGY 21		SYNERGY 21		SYNERGY 21		2015-01-20

# Zertifikat

Nr. z3340c-13-D

## Auftraggeber:

ALLNET GmbH  
Maistraße 2  
82110 Germering, Deutschland

## Kategorie 6

## Prüfling(e):

Anschluss- & Rangierschnur :  
**ALLNET Patchkabel RJ45 CAT6 250MHz S-STP(S/FTP), Synergy 21**  
Art.-Nr.: S216001-S216120 (0,25m ... 10m)

## Bewertungsstandard(s):

ISO/IEC 11801 Ed.2.2 (2011-06)  
IEC 61935-2 Ed. 3.0 (2010-07)

## Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Vorgabedokumente ein.

## Anschluss- & Rangierschnur, Kategorie 6

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbereich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht Nr. **P3340c-13-D** und ist nur in Verbindung mit diesem gültig.

Bexbach, 21. August 2013



Dipl.-Ing. Dirk Wilhelm  
(Vorstandsvorsitzender)



## GHMT AG

In der Kolling 13  
D-66450 Bexbach

Postfach 11 16  
D-66442 Bexbach

T: +49 6826 92 28-0  
F: +49 6826 92 28-290

info@ghmt.de  
www.ghmt.de

HOCHVERFÜGBARKEIT IM GANZEN  
BEDINGT PRÄZISION IM DETAIL.